


45TH ANNUAL CONFERENCE

PROCEEDINGS

American Association of Bovine Practitioners



Montreal, Canada
September 20-22, 2012



© Copyright American Association of Bovine Practitioners; open access distribution.



"I recommend the most complete respiratory protection available - Vista® Once SQ."

**Ethan Andress, DVM
North Dakota**

Vista® Once SQ is the most complete respiratory protection available, offering 5-way modified live viral protection in combination with the only avirulent-live culture *Pasteurella* and *multocida* *Mannheimia haemolytica* protection. And it's backed by respiratory research validating:

- Respiratory duration of immunity of at least:
 - 182 days for Infectious Bovine Rhinotracheitis (IBR)
 - 206 days for Bovine Virus Diarrhea (BVD) Type 1
 - 200 days for BVD Type 2
- Three-day onset of immunity for IBR respiratory protection
- BVD Type 1b cross protection
- BVD Type 2 protection in the face of maternal antibodies

The five-way protection of Vista also is available in combination with the only single-dose *Lepto hardjo-bovis* protection: Vista 5 VL5 SQ.

Offer the most complete respiratory protection available — recommend Vista vaccines to your clients today.



Vista® Once SQ

Available in 10 & 50 dose

PROCEEDINGS

of the

FORTY-FIFTH ANNUAL CONFERENCE

AMERICAN ASSOCIATION OF BOVINE PRACTITIONERS

September 20-22, 2012

Montreal, Canada



Photo courtesy of Dr. D.L. Step, Stillwater, Oklahoma.

Editor

Robert A. Smith, DVM
3404 Live Oak Lane
Stillwater, OK 74075
Tel: (405) 372-8666
Fax: (405) 743-8422

Advertising Representative

J. T. O'Brien & Assoc.
12118 Nieman Road
Overland Park, KS 66213
Tel: (913) 402-8383
Fax: (913) 402-8384

Executive Vice President

M. Gatz Riddell, Jr., DVM
P.O. Box 3610
Auburn, AL 36831-3610
Tel: (800) 269-2227
Fax: (334) 821-9532

Publisher

VM Publishing Company
205 W. 7th Ave., Suite 201G
Stillwater, OK 74074
Tel/Fax: (405) 533-1883

Cover photo courtesy of Marco Langlois, Montreal, Canada.

AABP OFFICERS



President-Elect
NIGEL COOK
DVM
Madison, Wisconsin



President
BRIAN GERLOFF
DVM
Woodstock, Illinois



Vice-President
DAN GROOMS
DVM
Madison, Wisconsin



Past-President
CHRISTINE NAVARRE
DVM
Baton Rouge, Louisiana



Exec. Vice-President
M. GATZ RIDDELL, JR.
DVM
Auburn, Alabama

Directors




District 1
MARK J. THOMAS
DVM
Carthage, New York




District 2
BOB CLONINGER
DVM
Centre Hall, Pennsylvania



District 3
JIM BRETT
DVM
Starkville, Mississippi




District 4
GARY KOESTER
DVM
Cadillac, Michigan




District 5
GLEN JOHNSON
DVM
Reedsburg, Wisconsin




District 6
SARAH OVERBY
DVM
Freeport, Minnesota




District 7
RODNEY CHAPMAN
DVM
Versailles, Missouri




District 8
GLENN ROGERS
DVM
Aledo, Texas




District 9
DAVID RETHORST
DVM
Hastings, Nebraska



District 10
STEPHEN SMALLEY
DVM
Chandler, Arizona



District 11
FRED MULLER
DVM
Sunnyside, Washington



District 12
GUY R. BOISCLAIR
DVM
Victoriaville, Quebec, Canada



District 13
J. EGAN BROCKHOFF
DVM
Olds, Alberta, Canada



Treasurer
BRIAN REED
DVM
Manheim, Pennsylvania



Exhibits Manager
CHARLIE HATCHER
DVM
College Grove, Tennessee



Editor
ROBERT A. SMITH
DVM
Stillwater, Oklahoma

Parliamentarian.....Rich Meiring, DVM, Starkville, Mississippi
AVMA DelegateMark Spire, DVM, Manhattan, Kansas

Table of Contents

GENERAL SESSIONS

- Grumpy old vets revisited
Ken Nordlund.....1
- Adapting beef practice to future realities
G. Kee Jim.....7
- The buyer's point of view about animal welfare: what milk purchasers are looking for
Jennifer B. Walker.....11
- Dairy stockmanship – Reconnecting the people with the cows
Paul Rapnicki, Margaret Perala, Don Höglund.....13
- Fee structure models in dairy practice
Mark Thomas.....20
- Beef practice models
Murray D. Jelinski
- Veterinary technicians: The case for their employment in bovine practice
Sarah Wagner
- The Summer Dairy Institute: Advanced training for young dairy veterinarians
Charles W. Nydam, Daryl V. Nydam, Charles L. Guard,
Robert O. Gilbert, Steve Eicker

BEEF SESSIONS

- Integrated program for reducing bovine respiratory disease complex in beef and dairy cattle coordinated agricultural project (BRD CAP)
Alison L. Van Eenennaam.....36
- What's new in timed artificial insemination and assisted reproduction in beef cattle?
Reuben J. Mapleton, Gabriel A. Bó.....40
- Case-based studies of infertility in bulls
A.D. Barth.....50
- The potential value of DNA-based tests for host bovine respiratory disease resistance to the beef cattle industry
Alison L. Van Eenennaam.....60
- A beef producer's view of the role of bovine practitioner
J. P. Rhea.....66
- Past, present, and future – rural veterinarian
Murray D. Jelinski
- Cattle market update – What we need to know
Anne Dunford
- Using mixed treatment comparison meta-analysis to compare interventions in bovine practice
Annette M. O'Connor.....76

DAIRY SESSIONS

- Why cows die on dairies
Franklyn Garry, Craig McConnel
- Mortality in different management systems
Chad D. Dechow, Robert C. Goodling.....88
- The behavioral and physiological consequences of overstocking dairy cattle
Julie M. Huzzey, Marina A. G. von Keyserlingk,
Thomas R. Overton.....92
- Managing high-risk fresh cows
Garrett R. Oetzel
- The importance of dairy herd health provision and data management, with a focus on mastitis control
Martin Green, Andrew Bradley, Chris Hudson,
James Breen, Jonathan Statham, Jon Huxley

- Drug usage hazard analysis and critical control points (HACCP)
David A. Rhoda.....110
- Parlor performance basics
David A. Reid.....114
- Reproductive tract infection and inflammation in dairy cows
Stephen LeBlanc
- Estrous detection and timed AI protocols: complementary not mutually exclusive
Ricardo Chebel.....123

AABP-AASRP JOINT SESSIONS

- Diagnosis and control of small ruminant abortion
Paula I. Menzies.....129
- Q fever update
Paula I. Menzies.....138
- Pregnancy toxemia and metabolic changes of transition in small ruminants
Robert J. Van Saun
- Selenium nutrition and therapy in small ruminants
Robert J. Van Saun
- Understanding copper nutrition in small ruminants
Robert J. Van Saun
- Johne's disease in sheep and goats
Paula I. Menzies.....161

STUDENT SESSION

- Difficult conversations with clients
Glennon Mays.....170
- Difficult conversations with colleagues and staff
Keith Sterner

RESEARCH SUMMARIES I

- Evaluation of environmental culture to determine herd status for Johne's disease on Atlantic Canadian dairy farms
C.J. Lavers, G.P. Keefe, S.L.M. McKenna, I.R. Dohoo,
M. Chaffer.....178
- Evaluation of the milk ELISA to determine herd status for Johne's Disease
C.J. Lavers, G.P. Keefe, S.L.M. McKenna, I.R. Dohoo,
M. Chaffer.....179
- Effect of season and lactation stage on the diagnostic sensitivity of direct real-time PCR assay for detection of fecal shedding of *Mycobacterium avium* subsp *paratuberculosis*
E. Laurin, G. Keefe, S. McKenna, M. Chaffer
- Preliminary program outcomes from the Atlantic Johne's Disease Initiative
Karen MacDonald-Phillips, Greg Keefe,
Shawn McKenna
- Intramammary infection at calving following Petrifilm-based selective dry cow therapy
M. Cameron, G. Keefe, J. P. Roy, K. MacDonald
- Preliminary results from a non-inferiority clinical trial evaluating the efficacy of three commercial dry cow mastitis preparations
A. G. Arruda, S. Godden, P. Rapnicki, P. Gorden,
L. Timms, S. Aly, T. Lehenbauer, J. Champagne.....184
- Risk factors for *Prototheca* mastitis on Ontario dairy farms
Laura Pieper, Ann Godkin, David Kelton

• Understanding and controlling variability of iodine concentration in bulk-tank milk in Canada K. MacDonald, G. Keefe, J. Sanchez, J.P. Roy, D. Kelton, S. Hendrick.....	186
• Evaluation of a Petrifilm-based on-farm culture system for the detection of intramammary infections in cows with low somatic cell counts at dry-off M. Cameron, G. Keefe, J. P. Roy, K. MacDonald	187
• The association between β-hydroxybutyrate concentration at diagnosis of left displaced abomasum in dairy cows and removal from the herd post-surgical correction William Croushore, Paula Ospina, David Welch, Daniel Zawisza, Daryl Nydam.....	189
• Profitability of preconditioning: lessons learned from an 11-year case study of an Indiana beef herd W. Mark Hilton, Nicole J. Olynk	190
• Comparison of 5-day versus 7-day CIDR CO-Synch protocol in crossbred commercial beef cows S.C. Holland, D.W. Whittier, S.G. Clark, J.F. Currin, H.H. Schramm, R.K. Kasimanickam.....	191
• Isolation of <i>Mycobacterium avium</i> ssp <i>paratuberculosis</i> from the saliva of cattle: a pilot study U. S. Sorge, S. Kurnick, S. Sreevatsan.....	192
• Efficiency of a genetic test to detect benzimidazole-resistant <i>Haemonchus contortus</i> nematodes on sheep farms in Québec V. Barrere, R.K. Prichard	193
RESEARCH SUMMARIES II	
• Milk flow obstruction caused by varicose veins in the teats in dairy cattle: 22 cases H. Lardé, S. Nichols, A. Desrochers, M. Babkine, D. Francoz, P. Y. Mulon	195
• Digital dermatitis: a description of lesion progression and regression of natural disease in Holstein dairy cattle over two years A. Krull, P. Gorden, J. Shearer, B. Leuschen, P. Plummer	197
• Pharmacokinetics and milk elimination of flunixin meglumine in dairy cattle following different routes of administration L. Kissell, G.W. Smith, T.L. Leavens, R.E. Baynes, J.E. Riviere.....	198
• Temporal changes in antimicrobial resistance of fecal coliforms isolated from dairy cows E.M. Corbett, B. Norby, L.W. Halbert.....	199
• Reproductive performance with an automated activity monitoring system versus a synchronized breeding program Rafael C. Neves, Stephen J. LeBlanc.....	200
• Detection of hyperketonemia in dairy cows: "in-lab" milk components performance J. Denis-Robichaud, J. Dubuc, D. Lefebvre, L. DesCôteaux.....	201
• Comparison of crossbred and purebred Holstein cows during the transition period L. G. D. Mendonça, N. B. Litherland, M. A. Ballou, R. C. Chebel.....	203
• Efficacy of a combination butaphosphan-cyanocobalamin product and insulin for the treatment of ketosis in lactating dairy cattle J.L. Gordon, T.F. Duffield, T. Herdt, L. Neuder, D.F. Kelton, S.J. LeBlanc.....	205
• Comparison of serum concentrations and duration of BVDV 1, BVDV 2, BHV-1, BRSV, and PI3 virus-neutralizing antibodies in calves fed maternal colostrum or a colostrum replacer at birth M.F. Chamorro, P.H. Walz, D.M. Haines, T. Passler, T. Earleywine, M.D. Givens.....	206
• A randomized clinical trial to evaluate the effect of oral zinc supplementation as a treatment for diarrhea in neonatal Holstein calves A. D. Glover, B. Puschner, H. A. Rossow, J. D. Champagne, P. C. Blanchard, T. W. Lehenbauer, S. S. Aly	207
• Health care metrics and health care policies during the preweaned period on calf ranches W.L. Walker, W.B. Epperson, T.E. Wittum, L.K. Lord, P.J. Rajala-Schultz, J.L. Lakritz	209
• Otitis media and interna in dairy calves : a retrospective study of 29 cases V. Bernier Gosselin, G. Fecteau, D. Francoz, A. Desrochers, S. Nichols, M. Babkine	210
• Ultrasound evaluation of tympanic bulla in calves V. Bernier Gosselin, M. Babkine, S. Nichols, A. Desrochers.....	211
RESEARCH SUMMARIES III	
• Use of neurostimulation to localize and anesthetize the brachial plexus of calves undergoing metacarpal surgery H. Lardé, S. Nichols, A. Desrochers, G. Bussières, M. Kopal	212
• Surgery of the bovine rumen: indications and factors relating to outcomes in cattle in Ohio and Kansas AK Hartnack, MR Rousseau, AJ Niehaus, DE Anderson... <td>214</td>	214
• An evaluation of the prevalence of BHV-1 abortions based on diagnostic submissions to five U.S. veterinary diagnostic laboratories S. Gould, A.M. O'Connor, V. Cooper	215
• Real-time PCR assay for trichomonosis on pooled direct preputial samples A. Garcia Guerra, J. E. Hill, J. Campbell, C. Waldner, S. Hendrick	216
• Clinical sensitivity and specificity of a quantitative PCR assay for bovine genital campylobacteriosis in bulls A. Garcia Guerra, B. Chaban, J. E. Hill, C. Waldner, S. Hendrick	217
• Bovine coronaviruses from the respiratory tract: antigenic and genetic diversity R. W. Fulton, J. F. Ridpath, L. J. Burge	218
• A survey of herd-level risk factors for bovine respiratory disease (BRD) in nursing beef calves A. R. Woolums, R. D. Berghaus, D. R. Smith, B. J. White, T. J. Engelken, M. Irsik, D. K. Matlick, A. L. Jones, R. W. Ellis, I. J. Smith, G. L. Mason, E. R. Waggoner	219
• Immune, health, and growth responses of beef calves administered modified-live virus respiratory vaccine in the presence of maternal antibody versus a traditional vaccination regimen J. G. Powell, J. T. Richeson, E. B. Kegley, K. P. Coffey, G. F. Erf, D. T. Ensley	220
• A survey to evaluate anthelmintic resistance of gastrointestinal strongyles in Iowa cow/calf operations T. J. Engelken, M. J. Kimber, T. A. Day, S. S. Ubben, A O'Connor, L. R. Ballweber, P. K. Evans, R. D. Dewell, C. Wang	221

• Biosecurity practices of midwestern veterinarians in food animal and mixed animal practices T. J. Engelken, D. Bickett-Wedde, C. Wang	222
• The use of homeopathic remedies for the treatment of calves with diarrhea E. M. Boldyрева	223
• Effect of demographic trends in livestock inventory and number of operations on food animal veterinary practices in the United States G. M. Schuenemann, W. P. Shulaw.....	224
• Results of anti-mortem screening methodology to predict prescribed drug withholding periods for flunixin and ceftiofur in heifers S. Jones, J. Wells, D. Griffin, K. Shuck, T. Goldsmith, P. Rapnicki	225
• Identification and antimicrobial resistance of <i>Bibersteinia trehalosi</i> G. A. Dewell, C. Thompson, P. J. Plummer, T. Frana, R. D. Dewell, G. J. Phillips.....	227
RESEARCH SUMMARIES IV	
• Feeding heat-treated colostrum reduces morbidity in preweaned dairy calves S. M. Godden, D. J. Smolenski, M. Donahue, J. M. Oakes, S. Wells, J. Fetrow.....	228
• Effect of heat-treatment on nutritional and immune factors in bovine colostrum S. M. Godden, K. Hausler, N. Koewler, K. Brakefield, M. Van Amburgh, P. Rapnicki.....	229
• Evaluation of serum immunoglobulin G concentrations in dairy calves by use of using an automated turbidimetric immunoassay M. L. Alley, D. M. Haines, G. W. Smith	230
• Influence of season, ambient temperature, and time until feeding on bacteria counts in pasteurized milk for dairy calves D. J. Wilson, G. M. Goodell, T. Kelly.....	231
• Evaluation of the surface area of P3 in dairy calves following changes in management systems J. A. Gard, D. R. Wilhite, D. C. Taylor, S.P. Rodning, M. Edmondson, K. Sanders	232
• Effect of housing type on health of preweaned dairy calves during summer in Florida G. Peña, E. Kunihiro, M. J. Thatcher, C. Risco	233
• It doesn't take longer to keep good health records on dairies S. K. Giebel, J. R. Wenz, S. A. Poisson, D. A. Moore, C. S. Schneider.....	234
• Measuring a milk response - lactation models add power J. L. Ehrlich, J. B. Cole, D. Null	235
• Randomized clinical trial to compare the efficacy of two different antimicrobials on cure, milk production, and reproductive performance of dairy cows diagnosed with metritis D. A. Moore, M. W. Overton, W. M. Sischo.....	236
• Peripartum haptoglobinemia identifies dairy cows at risk for retained placenta and metritis J. Dubuc, M. A. G. von Keyserlingk, S. J. LeBlanc.....	237
• The coefficient of determination between NEFA and BHBA and the association between their ratio and the development of disease in healthy cows sampled during the post-partum period P. A. Ospina, D. V. Nydam, T. Stokol, T. R. Overton.....	238

• Effects of prepartum grouping strategy on immune, metabolic, health, reproductive, and productive parameters of dairy cows P. R. B. Silva, J. G. N. Moraes, L. G. D. Mendonça, A. A. Scanavez, M. I. Endres, R. C. Chebel	240
POSTERS	
• Effect of dietary selenium sources on selenium and glutathione peroxidase concentrations and immune function in beef cattle Noureddine Jinane, Younes Chorfi, Yvon Couture, Alain Fournier	241
• Hawaii beef producer animal health and welfare certification training and impact evaluation C. Sakamoto, H. Zaleski, J. Dobbs, E. Yoshioka, G. Graef, A. Stokes	242
• Impact of Component® TE-G with Tytan® on performance of stocker calves G.L. Denney, S.P. Rodning, D.L. Rankins, J.A. Gard	243
• Utilization of a 5- or 14-day progestin-based estrous synchronization protocol with sorted semen in beef heifers J.G. Powell, T.D. Lester, J.L. Reynolds, A.J. Davis, J.A. Hornsby, R.W. Rorie.....	244
• Estrous response for progestin-based estrous synchronization protocols and subsequent pregnancy rates when using sorted semen in primiparous and multiparous beef cows J.G. Powell, T.D. Lester, A.J. Davis, .R. Lindsey, R.W. Shofner, R.W. Rorie	245
• Performance of feedlot Nellore cattle fed with rations containing different corn genotypes G.E. Cunha, I.Y. Mizubuti, B.B. Sestari, R.C. Gomes, E.S. Pereira, E.L.A. Ribeiro	246
• Liver tolerance as a mechanism for the development of BVDV persistent infection S.E. Morarie, N. P. Smirnova, T.R. Hansen, J. Mediger, L.Braun, C.C.L. Chase	247
• Outcome of a bovine viral diarrhea virus infection in a South Dakota herd including reproductive losses, persistent infection, and mortality data from PI animals S.E. Morarie, L.J. Braun, L.D. Holler, J.D. Neill, J.F. Ridpath, C.C.L. Chase	248
• Bovine mastitis prevalence and associated risk factors in dairy cows in Nyagatare District, Rwanda Iraguha Blaise, Mushonga Borden, Hamudukwanda Humphrey	249
• Critical success factors transitioning from conventional to automatic milking in the United States Ben Smink, Peter Kool, Rik van der Tol	250
• New technology for milking vacuum diagnostics helps veterinarians better understand udder health problems E.M. Postma	252
• On-farm study of mastitis-associated bacteria recovered from five bedding materials Greg Keefe, Omid Nekouei, Ian Dohoo, Don Anderson, Jenny Yu	253
• Types and frequencies of movements onto and off of Vermont dairy farms J.M. Smith	254
• The use of homeopathic remedies in the treatment of cows with mastitis E.M. Boldyрева	255

• Performance of calves fed fresh colostrum from their dams, compared with that of calves fed colostrum from cows other than their dams	J.A. Donovan, L.J. Sims, K. Fisk, W. Sapp, P. Pinedo	256
• An evaluation of the preventative and curative properties of 3 foot bath products used to control digital dermatitis	G. Cramer, M. Lopez Benavides.....	258
• Effect of manual rupture of ovarian cysts on reproductive parameters in dairy cattle	A. Villarroel, B.J. Krahn	259
• IDEXX Milk Pregnancy Test – a new tool for pregnancy diagnosis in cattle	K. Velek, J. Lawrence, C. Egli, H. Pearse, R. Hildreth.....	260
• Lymphatic vessel puncture of the bovine udder: feasibility for sample collection and detection of <i>Mycobacterium avium</i> subsp <i>paratuberculosis</i> in the lymphatic fluid by PCR	D. Owen Rae, Johannes L. Khol, Pablo J. Pinedo, Laura M. Neumann, Claus D. Buergelet, Walter Baumgartner	261
• The association between blood β-hydroxybutyric acid in postparturient dairy cows and the incidence of clinical diseases, milk yield, milk components, reproduction, and culling during early lactation	Alfonso Lago, José Manuel Valle, José Antonio Pico, Cándido Rodríguez, Manuel Morales, Alfonso Goris	262
• Seasonal variation in milk production and culling in California dairy herds	Noelia Silva-del-Rio, Alfonso Lago, Bill VerBoort, John Beaulieu.....	264
• Effect of progesterone concentration at and during ovsynch protocol on conception rate in dairy cow	Bahram Salasel, Mohamad Taherkhani, Ourang Ataee, Abbas Parand	265
• Pregnancy maintenance in heat stressed dairy cows with gonadotropin-releasing hormone and human chorionic gonadotropin	O.A. Amarloie, P. Dini, P. Mottaghian, M.Farhoodimoghaddam, B.Salasel.....	266
• Derivation and interpretation of the MilkBot® lactation model in monitoring health of dairy cattle	J.L. Ehrlich.....	267
• Graphical Applications of Lactation Model Residuals for Monitoring Health in Dairy Cattle	J.L. Ehrlich.....	268
• Effects of selenium sources on blood and milk selenium concentration, glutathion peroxidase concentrations, and somatic cell count in Québec dairy herds	Noureddine Jinane, Nicolas Tison, Luc DesCôteaux, Alain Fournier, Yvon Couture, Younès Chorfi	269
• <i>Staphylococcus aureus</i> transmission and control in a robotic milking dairy herd	M.E. Woolpert, A.S. Ochoa, J.W. Barlow	270
• In vitro susceptibility testing of ceftiofur against bovine mastitis pathogens isolated as part of an ongoing surveillance program (2002-2010)	Lisa M. Mullins, Paul Baillargeon, Lacie Johansen, Cindy J. Lindeman	271
• Optimization of in vitro growth conditions and DNA extraction from <i>Treponema phagedenis</i> isolated from bovine digital dermatitis lesions	A. Krull, P. Plummer	273
• Effect of prostaglandin administration during the first hours after calving on blood calcium concentration in multiparous dairy cows	E.G Salgado-Hernández, J.Bouda, A. Aparicio-Cecilio, J Rendon Villamil, F.H. Velasquez-Forero, A. Castillo-Mata.....	274

Advertisers' Index

Addison Biological Laboratory, Inc.....	87
Arm & Hammer Animal Nutrition.....	49
Bayer Animal Health.....	5, 6
Merck Animal Health.....	inside front cover, back of book, inside back cover
Novartis Animal Health	27
Pfizer Animal Health.....	65, back cover

French translations by Hubert Brochard and Yves Camirand. Revisions by Dr. Emile Bouchard.

Notice to Readers

Articles published in the Proceedings of the American Association of Bovine Practitioners are not peer-reviewed or refereed. All statements, opinions and conclusions contained in articles in the Proceedings are those of the author(s), and are not necessarily those of the American Association of Bovine Practitioners (AABP) unless specifically approved by the AABP Board of Directors.

American Association of Bovine Practitioners

Prudent Drug Usage Guidelines

The production of safe and wholesome animal products for human consumption is a primary goal of members of the AABP. In reaching that goal, the AABP is committed to the practice of preventive immune system management through the use of vaccines, parasiticides, stress reduction and proper nutritional management. The AABP recognizes that proper and timely management practices can reduce the incidence of disease and therefore reduce the need for antimicrobials; however, antimicrobials remain a necessary tool to manage infectious disease in beef and dairy herds. In order to reduce animal pain and suffering, to protect the economic livelihood of beef and dairy producers, to ensure the continued production of foods of animal origin, and to minimize the shedding of zoonotic bacteria into the environment and potentially the food chain, prudent use of antimicrobials is encouraged. Following are general guidelines for the prudent therapeutic use of antimicrobials in beef and dairy cattle.

1. The veterinarian's primary responsibility to the client is to help design management, immunization, housing and nutritional programs that will reduce the incidence of disease and the need for antimicrobials.
2. Antimicrobials should be used only within the confines of a valid veterinarian-client-patient relationship; this includes both dispensing and issuance of prescriptions.
3. Veterinarians should properly select and use antimicrobial drugs.
 - a. Veterinarians should participate in continuing education programs that include therapeutics and emerging and/or development of antimicrobial resistance.
 - b. The veterinarian should have strong clinical evidence of the identity of the pathogen causing the disease, based upon clinical signs, history, necropsy examination, laboratory data and past experience.
 - c. The antimicrobial selected should be appropriate for the target organism and should be administered at a dosage and route that are likely to achieve effective levels in the target organ.
 - d. Product choices and regimens should be based on available laboratory and package insert information, additional data in the literature, and consideration of the pharmacokinetics and pharmacodynamics of the drug.
 - e. Antimicrobials should be used with specific clinical outcome(s) in mind, such as fever reduction, return of mastitic milk to normal, or to reduce shedding, contagion and recurrence of disease.
 - f. Periodically monitor herd pathogen susceptibility and therapeutic response, especially for routine therapy such as dry cow intramammary antibiotics, to detect changes in microbial susceptibility and to evaluate antimicrobial selections.
 - g. **Use products that have the narrowest spectrum of activity and known efficacy *in vivo* against the pathogen causing the disease problem.**
 - h. Antimicrobials should be used at a dosage appropriate for the condition treated for as short a period of time as reasonable, i.e., therapy should be discontinued when it is apparent that the immune system can manage the disease, reduce pathogen shedding and minimize recurrence of clinical disease or development of the carrier state.
 - i. Antimicrobials of lesser importance in human medicine should be used in preference to newer generation drugs that may be in the same class as drugs currently used in humans if this can be achieved while protecting the health and safety of the animals.
 - j. Antimicrobials labeled for use for treating the condition diagnosed should be used whenever possible. The label, dose, route, frequency and duration should be followed whenever possible.
 - k. Antimicrobials should be used extra-label only within the provisions contained within AMDUCA regulations.
 - l. Compounding of antimicrobial formulations should be avoided.
 - m. When appropriate, local therapy is preferred over systemic therapy.
 - n. Treatment of chronic cases or those with a poor chance of recovery should be avoided. Chronic cases should be removed or isolated from the remainder of the herd.
 - o. Combination antimicrobial therapy should be discouraged unless there is information to show an increase in efficacy or suppression of resistance development for the target organism.
 - p. Prophylactic or metaphylactic use of antimicrobials should be based on a group, source or production unit evaluation rather than being utilized as standard practice.
 - q. Drug integrity should be protected through proper handling, storage and observation of the expiration date.
4. Veterinarians should endeavor to ensure proper on-farm drug use.
 - a. Prescription or dispensed drug quantities should be appropriate to the production-unit size and expected need so that stockpiling of antimicrobials on the farm is avoided.
 - b. The veterinarian should train farm personnel who use antimicrobials on indications, dosages, withdrawal times, route of administration, injection site precautions, storage, handling, record keeping and accurate diagnosis of common diseases. The veterinarian should ensure that labels are accurate to instruct farm personnel on the correct use of antimicrobials.
 - c. Veterinarians are encouraged to provide written guidelines to clients whenever possible to describe conditions and instructions for antimicrobial use on the farm or unit.