


29TH ANNUAL CONVENTION

PROCEEDINGS

American Association of Bovine Practitioners



San Diego - A City With A Mission

**San Diego, California
September 12-14, 1996**

You've seen it all.



The road map of your life is etched in the lines around your eyes. It hasn't always been pretty. Or easy. But through it all, you've seen what it takes to do the job right.

Experience is a great educator. You've learned to trust those things that work for you. Like the proven power, convenience and spectrum of IVOMEC®. Year-in and year-out. Giving you a confident view of the future.

Because you're looking forward to the time when you'll pass it all on to someone who's watched you succeed.



Merck Animal Health, Merck & Co., Inc., Rahway, NJ 07065-0912. ©IVOMEC (ivermectin) and the cattle head logo are registered trademarks of Merck & Co., Inc. ©1999 Merck & Co., Inc. (V-8-1854-217-A)

ivomec®
(ivermectin)

You trust it today because you believe in tomorrow.



of the

TWENTY NINTH ANNUAL CONFERENCE

AMERICAN ASSOCIATION OF BOVINE PRACTITIONERS

September 12-14, 1996

San Diego, California



Sea World

Editor

Eric I. Williams, F.R.C.V.S., M.S.
1226 N. Lincoln
Stillwater, OK 74075
Tel: (405) 372-3693
Fax: (405) 372-0939

Executive Vice President

James A. Jarrett, D.V.M.
P.O. Box 1755
Rome, GA 30162-1755
Tel: (800) 269-2227
Fax: (706) 232-2232

Advertising Representative

Veterinary Learning Systems
9300 W. 110th #145
Overland Park, KS 66210
Tel: (918) 749-1978
Fax: (918) 749-1987

Printer


Frontier Printers, Inc.
205 W. 9th Avenue
Stillwater, OK 74074
Tel: (405) 372-8500
Fax: (405) 372-8523

Cover photo, courtesy of James Blank /San Diego Convention and Visitors Bureau.

AABP OFFICERS




President-Elect
DEBORAH A. STARK
DVM
Guelph, Ontario, Canada



President
M. GATZ RIDDELL, JR.
DVM
Auburn, Alabama



Vice-President
JAMES E. SEARS
DVM
Bridgeport, Nebraska



Past-President
ROBERT A. SMITH
DVM
Stillwater, Oklahoma




Exec. Vice-President
AVMA Alternate Delegate
JAMES A. JARRETT
DVM
Rome, Georgia


Directors




District 1
JOHN FERRY
DVM
Adams, New York




District 2
RICHARD L. WILKES
DVM
Rocky Mt., Virginia



District 3
PAUL E. JOHNSON
DVM
Enterprise, Alabama




District 4
N. KENT AMES
DVM
East Lansing, Michigan



District 5
KENNETH NORDLUND
DVM
Madison, Wisconsin



District 6
MARK KIRKPATRICK
 DVM
 Readlyn, Iowa




District 7
DARRELL C. PAYNE
 DVM
 Sedalia, Missouri




District 8
STEVE LEWIS
 DVM
 Hereford, Texas




District 9
DELBERT G. MILES
 DVM
 Greeley, Colorado




District 10
GARY W. DALEY
 DVM
 Turlock, California




District 11
MICHAEL J. ANDERSON
 DVM
 Lynden, Washington



District 12
EMILE BOUCHARD
 DVM
 St-Hyacinthe, Quebec, Canada




District 13
RODNEY SYDENHAM
 DVM
 Wetaskiwin, Alberta, Canada



Treasurer
ROGER SALTMAN
 DVM
 Cazenovia, New York



AVMA Delegate
ROBERT H. KEITH
 DVM
 Monroe, Wisconsin



Exhibits Manager
SAMUEL HUTCHINS, III
 DVM
 South Barre, Vermont



Editor
ERIC I. WILLIAMS
 F.R.C.V.S.
 Stillwater, Oklahoma

introducing an
**Antibiotic So Unique,
 It's In A Class By Itself**



© Copyright American Association of Bovine Practitioners; open access distribution.

HEADS UP THERAPY for BRD

The broad spectrum antibiotic cattle feeders have been waiting for is here: Nuflor® (florfenicol) Injectable Solution. Nuflor is fast-acting, long-lasting, first-line therapy for quick recovery from BRD with minimal repulls, retreatments and chronics. Florfenicol is chemically similar to chloramphenicol without the associated human risks.

Broad Spectrum, Safe Therapy

Nuflor is formulated to reduce the development of bacterial resistance. It provides single-product therapy against three major BRD pathogens: *Pasteurella haemolytica*, *Pasteurella multocida* and *Haemophilus somnus*.

Simple Therapy

The treatment regimen is simple but hard hitting: two doses two days apart. Dosage for Nuflor is 3 ml per cwt,

administered intramuscularly in the neck. Because Nuflor is safe for animals and handlers, you can prescribe it with confidence.

Pharmacokinetics

Nuflor rapidly goes to work, reaching therapeutic levels above the MIC₉₀ for *P. haemolytica*, *P. multocida* and *H. somnus* within 60 minutes after the first injection. Peak concentrations are achieved in serum and bronchial secretions in approximately 1.5 – 2.0 hours. The second dose sustains the concentrations for a full 96 hours of therapeutic effect.

Treatment Response

Within 24 hours, you can see marked improvement in the animal's condition: lower temperature, reduced nasal dis-

SUCCESS RATES

	Nuflor	Medicated Controls
No. Animals †	1381	1516
Mortality	34 (2.5%)	87 (5.7%)
1 st Treatment Response	985 (71.3%)	961 (63.4%)
Final Response	1238/1381 (89.6%)	1231/1516 (81.2%)

† Sum of nine studies

charge and coughing, and more normal respiration.*

In nine BRD clinical studies conducted in North America, Nuflor outperformed other approved antimicrobials. Animals treated with Nuflor experienced reduced mortality, improved response to first-time treatment, and a greater overall response to treatment. European studies conducted in young calves (approximately 100 lbs) suffering from BRD showed 90% treatment success rates.*

NUFLOR at a GLANCE

- In a class by itself: designed to reduce the chance of resistance
- Florfenicol: new molecule similar to chloramphenicol without the associated human risks
- Broad spectrum: effective against major BRD pathogens including *Pasteurella haemolytica*, *Pasteurella multocida* and *Haemophilus somnus*
- Reliable, cost-effective therapy
- Long lasting: 2 doses 2 days apart
- No mixing or refrigeration required
- Safe for animals and handlers
- Rapid clinical response: lower temperature, reduced coughing, more normal respiration
- Fast acting: achieves therapeutic blood levels within 60 minutes, peak levels in approximately 1.5 – 2.0 hours

Nuflor®
(FLORFENICOL)

HEADS UP THERAPY for BRD

For more information call our
 Technical Services Department
1-800-932-0473



(*Data on file at Schering-Plough Animal Health.)
 For Brief Summary see page 75.

Table of Contents

General Session

- The Normal Periparturient Cow
Harry Momont 1
- Dairy Cow Postpartum Disease: Definitions, Decisions, and Dilemmas
Mark L. Kinsel 3
- Metritis/Endometritis: Medically Sound Treatments
Jerry D. Olson 8
- Management of Metritis/Endometritis "Handling the postpartum cow"
Gordon Plotts 15
- Hormonal Management Of The Postpartum Cow
Ross A. Hendry 16
- A Practitioner's Approach to Management of Metritis/Endometritis Early Detection and Supportive Treatment
G. L. Upham 19
- Animal Welfare in Slaughter Plants
Temple Grandin 22
- Professional Rodeo Cowboys Association
Terri Greer 27

Dairy Split Session

- Bovine Neonatal Cryptosporidiosis
Elaine Hunt 29
- Approach for designing appropriate Johne's disease control programs on the farm
Christine A. Rossiter 33
- Strategies For Rearing Co-mingled, Colostrum-Deficient Calves
Thomas Fuhrmann 46
- Management of the Dairy Calf Prior to Weaning
J. D. Quigley, III 50
- Management and Economics of Natural Service Sires on Dairy Herds
Carlos A. Risco 59
- Dynamic Changes in the Dairy Market
William A. Thomas 64
- On-Farm Nutrition Diagnostics
Nutrition Management Involvement Opportunities for Dairy Practitioners
Arden J. Nelson 75
- Investigating Herd Problems and Production on Dairy Farms
Pamela L. Ruegg 96
- Practical Management of Prepartum Anionic Diets for Dairy Cattle
Michaela Kristula 102
- Therapeutic Strategies for Contagious and Non-contagious Mastitis
Walter M. Guterbock 106

Cow/Calf & Feedlot Split Sessions

- Immunology of Bovine Pestivirus Infection
D. Scott McVey, Sudhir K. Reddy, J. P. Frossard and Harish Minocha 116
- Pharmacology of Bovine Respiratory Disease: Criteria for selecting antimicrobials, do aminoglycosides fit?
Mike Apley 119

Cow/Calf Split Session

- Understanding Cattle Behavior Makes Handling Easier
Temple Grandin 123
- *Cowchips\$*:
A Decision Making Tool for Commercial Cow-calf Managers
John A. Basarab 127
- Cowboys and Computers ... *What's the world coming to?*
James D. Lowe 134

Feedlot Split Session

- BVD Vaccination, some common sense approaches
Victor S. Cortese 138
- Diagnostic Considerations for Bovine Respiratory Disease
George A. Kennedy 142
- Lung Lesions in Feeder Cattle at Slaughter:
A Proposed Method for Lesion Recording, and Lesion Effects on Calf Growth and Carcass Traits
Lonny K. Bryant, Louis J. Perino, D. Dee Griffin, Alan R. Doster, Catherine E. Dewey, Thomas E. Wittum 147
- Vaccinology for Bovine Practitioners:
Immunization for Bacterial Respiratory Tract Infections
D. Scott McVey and M.M. Chengappa 152

Research Summaries

- Genetic -Based Infectious Disease Resistance As A New Health Management Strategy
Garry Adams, Joe W. Templeton 155
- The Effect of Modified Live Bovine Viral Diarrhea Virus (BVDV) Vaccination During the Third Trimester of Pregnancy in Beef Cows
Sherrill A. Fleming 155
- Evaluation of Type II Killed BVD Vaccine in the Face of Type II BVD Challenge
Donna M. Gatewood, W. Charles Ohnesorge
Carol A. Spillers, Benjamin P. All 156
- Persistent IBR Infections in the Bovine Lymphoid System: Implications for Vaccination and Control
Christopher C. L. Chase, Pu Wang, David J. Hurley 158
- The Effect of 7-Way Clostridial Booster Vaccination at Reimplant on Subsequent Sudden Death Syndrome Mortality Rates at a Nebraska Feedlot
Brad De Groot 158
- Association Between Development of Serum Antibody Against Bluetongue Virus and Productivity in Beef Cattle
Barton W Rohrbach, G. Caldwell,
L.N.D. Potgieter, M. Sayer 160
- Efficacy of Systemic and Oral Oxytetracycline for Control of a Herd Outbreak of Infectious Bovine Keratoconjunctivitis
T. Eastman, L. George, D. Hird, M. Thurmond 160
- Determination of the Nutritional Requirements of the Calf's Gut
Germain Nappert, Gordon A. Zello, Jonathan M. Naylor 161
- Dectomax Discovery: A Review of the Scientific Approach to Long Duration Endectocide Activity
Robert S. Rew 161
- Equivalent Persistent Efficacy of Ivermectin, Abamectin, Doramectin and Moxidectin in Cattle
Ryan WG, Entrocasso C, Gross S, Kloeck A,
Grimshaw WTR, Soll MD 163
- Case-Control Study of Papillomatous Digital Dermatitis in Southern California Dairies
A. Rodriguez, D.W. Hird, T.E. Carpenter, D.H. Read 164
- Impact of Preventive Hoof Care on Dairy Heifer Performance
P.B. Scharko, T.J. Davidson 164
- Efficacy of Monensin in the Prevention of Subclinical Ketosis in Lactating Dairy Cattle
Todd Duffield, KL Leslie, D Sandals,
K Lissemore, JH Lumsden, B McBride, R Bagg, P Dick 165
- Preliminary Results from a Study Evaluating the Test Characteristics of a Milk Urea Nitrogen Assay and the Influence of Factors Related to Sample Collection and Handling
S. Godden, K. Lissemore, K. Leslie, D. Kelton,
T. Lumsden and J. Walton 169

• Potassium, Not Calcium Induces Milk Fever J. P. Goff and R. L. Horst	170
• An Epidemiologic Study Evaluating Therapies for Bovine Mastitis W.M. Sischo, G.W. Rogers, L.I. Bieler, J.B. Cooper	171
• Segregation or Use of Separate Milking Units for <i>Staphylococcus aureus</i> -Infected Dairy Cows David J. Wilson, Ruben N. Gonzalez	171
• The JennyLynn Flow Simulator David A. Reid	174
• Physiologic parameters to predict milk yield following clinical mastitis in dairy cattle D. A. Moore, W. M. Sischo, J. C. Fedon,	175
• A placebo-controlled trial of an <i>Escherichia coli</i> J5 bacterin and the ribotyping-based assessment of coliform bacteria diversity on a dairy farm Rubén N. González, David J. Wilson, Philip M. Sears and Ariel L. Rivas	175
• Characterization of the immune response in calves vaccinated with novel <i>Salmonella dublin</i> vaccines John K. House, Bradford P. Smith, Maaiké Fewel, Darin Kamiya, David C. Van Metre	176
Poster Sessions	
• The development and testing of a vaccine for the prevention of infectious bovine keratoconjunctivitis Kevin O'Connell, Lisle George	177
• Evaluation of Type II Killed BVD Vaccine in the Face of Type II BVD Challenge Donna M. Gatewood, W. Charles Ohnesorge Carol A. Spillers Benjamin P. All	177
• Evaluation of IBR Vaccine Virus Shedding After Parenteral Administration to Suckling Calves Donna M. Gatewood, Phillip J. Sprino, W. Charles Ohnesorge, Benjamin P. All, Melisse M. Gray	178
• Effect of Certain Antibiotics on the Bacterial Load and Fertility of Cattle and Buffalo Semen A. M. Osman, A. H. Zaghoul, S. H. Shehata, B. G. Abdel-All, S. H. Abed-Allah	179
• Comparative Efficacy Studies: Tilmicosin vs Long- Acting Oxytetracycline or Ceftiofur for Treatment of Bovine Respiratory Disease in Newly Received Calves Scott B. Laudert, Carl A. Guthrie	180
• Evaluation of Herd Serum Antibody Titers Bob Compton	180
• Autogenous Vaccines in the Prevention and Control of Mastitis Harold Jody Wade	181
• Cellular and Humoral Response Following Challenge in Cattle Vaccinated with Inactivated Virus Vaccine Christopher C.L. Chase, L. Braun, T. Fraser, S. Anderson, J. Hanson and David J. Hurley	182
• A Novel Diagnostic Ready Reckoner for Animal Disease Diagnosticians, Practitioners and Pathologists Jay Samudralwar	182
• Concentrated Bovine Serum Globulin Protein as a Colostrum Replacement/ Supplement in Receiving Dairy Beef Calves J.C. Hauptert, J.D. Arthington	183
• Comparison of dam and neonatal trace mineral levels in Nebraska sandhills beef cattle J. L. Johnson, D. T. Hickok, W. E. Braselton, D. R. Brink, P. A. Olson and J. B. Lamb	183
• Case-control Study of Clinical Salmonellosis in Cattle Herds L.D. Warnick, L.M. Crofton, M.J. Hawkins, K.D. Pelzer, R.A. Ruth, and K.R. Scheel	184
• Effects of a select direct-fed microbial gel effects of a select direct-fed microbial gel supplemented with different levels of vitamin E in neonatal Holstein calves Sonia Vazquez Flores, Philip W. Jardon, Jesse P. Goff, Roger C. Crum Jr	185
• A summary of four studies evaluating Doramectin compared to Ivermectin for gastrointestinal parasite control in grazing stocker beef cattle including effects on weight gain L. R. Ballweber, J.A. Stuedemann, L.L. Smith, T.A. Yazwinski	186
• Comparative Performance of Feedlot Cattle with Nematode and Trematode Infections Treated with Doramectin or Ivermectin/Clorsulon Injectable Solutions E. G. Johnson, W. K. Rowland, G. L. Zimmerman, D. J. Walstrom	187
• Effect of Trace Mineral Level and Source on Cow/Calf Performance and Immune Response L. M. Schugel, DVM and A.B. Johnson	188
• The Efficacy Of 5 Topical Spray Treatments For Control Of Papillomatous Digital Dermatitis In Dairy Herds S.L. Berry, B.A. Reed, J.P. Maas, and A. Schechter	188
• A National Project to Implement TQM on Dairy Farms W.M. Sischo, W. Gilson, L.J. Hutchinson, W. Marsh, J.K. Reneau, P.M. Sears, L.L. Timms, W. Wailes	189
• Vaccination and Biosecurity Practices of Pennsylvania Dairy Producers Yvette L. Rauff, Dale A. Moore, William M. Sischo	189
• The JennyLynn Flow Simulator David A. Reid	190
• Potential for Milk Residues and Pharmacokinetic Values of Ketoprofen Following a Single Intravenous Bolus Injection in Lactating Dairy Goats Jeffrey MB Musser and Kevin L Anderson, Krystyne L. Tyckowska	191
• Livestock Identification, the Benefits of Regulatory Involvement Past, Present, and Future James P. Davis	192
• The persistent activity of Ivermectin in cattle challenged daily with Nematodes D.H. Wallace, D. Barth, D. Baggott, J.L. Cox, G.F. Ericsson	192
• Individual Animal Electronic Identification and Management	193
• Productivity of cattle treated with the IVOMECS [®] SR Bolus Jacobsen, J.A., Alva, R., Plue, R., Holste, J.E., Gross, S.J. and Eagleson, J.S.	196
• <i>Sarcina ventriculi</i> - associated abomasal bloat in neonatal calves B.M. DeBey, G.A. Andrews, R.J. Basaraba, G.A. Kennedy, P.G. Moisan, D.A. Mosier, J.K. Nietfeld	196
World Association for Buiatrics (WAB)	
• Statutes of the World Association for Buiatrics	197
• XIX World Buiatrics Association Congress	198
<h2>Advertisers' Index</h2>	
Addison Biological Laboratory	154
Bayer Corporation	157
Boehringer Ingelheim Animal Health, Inc.	xvi
Classic Medical Supply, Inc.	32a
Elanco Animal Health	95, 159
Merck & Co., Inc.	inside front cover
Pharmacia & Upjohn Animal Health	outside back cover
Schering-Plough Animal Health	xiii, 75
W.B. Saunders Company	7



Funny,
the IM needle
didn't look
this big.

**For an oxytetracycline that's only skin deep,
try Sub-Q Bio-Mycin® 200.**

Though they may appear harmless, IM injections can ruin valuable portions of marketable meat. And, as with this steak, the costly damages have to be trimmed away. But with a Bio-Mycin® 200 subcutaneous (Sub-Q) injection, the needle only penetrates the skin. Unwanted trim is greatly diminished, bringing higher profits down the line. Plus, bio-equivalency studies prove that Bio-Mycin 200 works as well as the pioneer oxytetracycline*. So give Sub-Q Bio-Mycin 200 a try. You'll get an antibiotic solution without any holes in it. Bio-Mycin 200 is available through your veterinarian or call 1-800-325-9167.

*Studies available upon request.



**Boehringer
Ingelheim**

Bio-Mycin® 200