





Welcoming Reception

Wednesday, September 19, 2007

Vancouver, British Columbia

Sponsored by **Bayer Animal Health**, the welcoming reception for the 40th Annual AABP Conference was held as the official event to kick-off the week's activities. Members of the AABP Program Committee, local veterinarians, representatives from the Vancouver area and event planners were present to answer questions.











“Just Desserts” Reception

Wednesday, September 19, 2007

Vancouver, British Columbia

Mountains of mouth-watering, enticing desserts, compliments of **Merial**, were served after the Welcoming Reception on Wednesday evening. This event provided further opportunity to continue the feast and fellowship well into the evening. Thanks to **Merial** for sponsoring the event.







“Come Join Us for Dinner” Buffet Reception


Exhibit Hall

Thursday, September 20, 2007

AABP registrants were treated to excellent food in the exhibit area, **courtesy of all exhibitors**, prior to gathering for the Opening Ceremony and Practice Tips.







© Copyright American Association of Bovine Practitioners; open access distribution.





AABP Student Reception

Thursday, September 20, 2007

For the 13th year, the AABP and **Elanco Animal Health** hosted a reception for all student AABP members at the Annual Conference.







AABP's Wine and Cheese Reception

Friday, September 21, 2007

On Friday evening, AABP members had the opportunity to join friends for refreshments and conversation before heading off to dinner. Thanks to **Pfizer Animal Health** for hosting this memorable evening.





© Copyright American Association of Bovine Practitioners; open access distribution.

A Taste of Vancouver

Vancouver, British Columbia




Saturday, September 22, 2007

Thanks to **Schering-Plough Animal Health** for sponsoring this memorable evening. This function offered attendees an opportunity to relax and visit after a busy week of continuing education.






© Copyright American Association of Bovine Practitioners; open access distribution.

Registration





© Copyright American Association of Bovine Practitioners; open access distribution.


Exhibits





© Copyright American Association of Bovine Practitioners; open access distribution.





Scientific Meetings






Media Luncheon






© Copyright American Association of Bovine Practitioners; open access distribution.

Friends and Family



© Copyright American Association of Bovine Practitioners; open access distribution.

Local Attractions



© Copyright American Association of Bovine Practitioners; open access distribution.



Guidelines for Authors

Two issues of *The Bovine Practitioner* are published annually, one in the spring and one in the summer. It also serves as a communication medium between bovine practitioner organizations around the world. All manuscripts and communications must be presented in English.

Most articles in the journal are peer-reviewed or refereed. Papers submitted for publication in the peer-reviewed section are anonymously reviewed by three members of the editorial board. In some cases, papers may be reviewed by an outside expert(s) who is not a regular member of the editorial board. Papers published in the peer-reviewed section of the journal will be identified with a "Peer-Reviewed" banner at the top of the first page. Papers rejected by the editorial board for publication as peer-reviewed articles do not automatically qualify for publication in the non-peer-reviewed sections.

Articles published in *The Bovine Practitioner* are intended to address the needs of bovine practitioners. Types of articles considered appropriate for the journal include research reports, case reports, review articles, retrospective studies and articles describing new techniques.

All papers should begin with an abstract. Research reports should follow with an introduction, materials and methods (including experimental design and statistical analysis), results, discussion and conclusions. At the author's discretion, results and discussion may be combined.

Case reports should be written to include an introduction, history, clinical findings, appropriate laboratory data, surgical/therapeutic management, discussion and conclusions.

Review articles covering topics important to the practitioner are welcome. They should address more recent advances and bring the reader cutting edge information related to bovine practice or to beef or dairy production.

Papers reporting retrospective studies should include an introduction, clinical implications or objectives of the study, the methodology used to evaluate the data, a section that details the significance of the findings to the practitioner and conclusions.

Two manuscripts and a diskette or CD should be submitted to the editor through the mail or via a parcel delivery service. Manuscripts should be double-spaced, using 12-point Times type and 1-inch margins. Both lines and pages should be numbered. When possible Microsoft Word should be used.

Figures, tables and photographs are welcome. Figures should be numbered on the back: legends for figures should be submitted on a separate sheet of paper. Photographs can be submitted as digital images or prints; prints are preferred over 2x2 slides.

English units of measure should be used for weights, measures and temperature. If the author desires, it is acceptable to follow English units with metric units in parenthesis, i.e....440 lb (200 kg) steer had a rectal temperature of 101.5°F (38.6°C). When the use of brand names is necessary, they should be listed in footnotes or endnotes, including the name of product, manufacturer, and manufacturer's city and state.

References to literature cited in the paper must be identified in the text by the use of superscripts. References should be listed in **alphabetical order**. Suggested style for citations in the reference section is as follows:

1. Allen WM, Sansom BF: Parturient paresis (milk fever) and hypocalcemia (cows, ewes, and goats), in Howard JL (ed): *Current Veterinary Therapy III. Food Animal Practice*. Philadelphia, WB Saunders Co, 1993, pp 304-308.
2. Barth AD, Cates WF, Harland RJ: The effect of body fat and loss of fat on breeding soundness classification of beef bulls. *Can Vet J* 36:758-764, 1995.
3. Nutrient Requirements of Beef Cattle, ed 7. Washington DC, National Academy Press, 1996.
4. Syvrud R: Vaccination for bovine respiratory syncytial virus: Benefits for both cow/calf and feedlot cattle. *Proc Am Assoc Bov Prac* 21:204-206, 1989.

All correspondence and manuscripts should be addressed to:

**The Bovine Practitioner
Dr. Bob Smith, Editor
3404 Live Oak Lane
Stillwater, OK 74075
405-372-8666 Office
405-743-8422 Fax**

Rev 04/07

THE AMERICAN ASSOCIATION OF BOVINE PRACTITIONERS

would like to express special appreciation to the following for their generous financial support of the 40th Annual Conference.



Bayer

Bayer Animal Health




Diamond V Mills, Inc.



Elanco Animal Health



Fort Dodge Animal Health



Intervet

RESEARCH • PERFORMANCE • INTEGRITY

Land O'Lakes Purina Feed LLC



Merial



Monsanto



Novartis Animal Vaccines, Inc.



Pfizer Animal Health

Pfizer Animal Health



PIONEER.
A DUPONT COMPANY

Pioneer Hi-Bred International



Schering-Plough

Schering-Plough Animal Health



Vance Publishing



Vetbio, Inc.

“Vista® Once gives you the most complete respiratory protection in a single injection. Bovi-Shield® plus One Shot® doesn’t even come close.”

Bill Baus, DVM
Animal Health Center
Redfield, South Dakota



The Most Complete Protection, Period.

Settling for the *status quo* isn't the way you reach your goals. Vaccinating with anything but the best doesn't cut it. Demand the unequalled respiratory protection of Vista® Once SQ.

- Sub-Q administration for better beef – Vista Once has it, Bovi-Shield® doesn't
- Avirulent live protection for both *Mannheimia haemolytica* and *Pasteurella multocida* – Vista Once has both, One Shot® doesn't
- Unequaled respiratory Duration of Immunity (DOI) for IBR, BVD Type 1 and BVD Type 2
- Offering the only Fetal Infection protection for BVD Type 1 and BVD Type 2
- Persistent Infection (PI) protection against BVD Type 1 and BVD Type 2
- Single-dose BRSV protection

Demand the most complete respiratory protection available, period. Switch your recommendation to Vista Once SQ today.

vista



intervet

RESEARCH • PERFORMANCE • INTEGRITY

P.O. Box 318
29160 Intervet Lane
Millsboro, Delaware 19966-0318
intervetusa.com • 800.441.8272

Vista is a registered trademark of Intervet Inc. or an affiliate.
Bovi-Shield and One Shot are registered trademarks of Pfizer Inc.
©2008 Intervet Inc. All rights reserved • 1/08 O&B Part # BV-VST-32802



Only Bovi-Shield GOLD FP helps provide a full year's fetal protection against BVD PI calves and IBR abortion.

Herds need protection and yours will get a full 365 days of it with Bovi-Shield GOLD® FP.® It helps protect 5 to 8 months longer than the others.¹ Why put your cattle or your reputation at risk with anything less? Protect your livelihood with the No.1 veterinarian-recommended reproductive and respiratory vaccine.² Ask your veterinarian or animal health supplier about Bovi-Shield GOLD FP.

Bovi-Shield GOLD®

dairywellnessplan.com

LABEL INDICATIONS: The Bovi-Shield GOLD line and PregGuard® GOLD FP 10 may be administered to pregnant cattle provided they were vaccinated, according to label directions, with any Bovi-Shield® FP or PregGuard FP® vaccine prior to breeding initially and within 12 months thereafter. Failure to follow label directions may result in abortions. The Bovi-Shield GOLD line of products may be administered to calves nursing pregnant cows provided their dams were vaccinated within the last 12 months as described above. Consistent with good vaccination practices, it is recommended that heifers receive at least 2 doses, with the second dose administered approximately 30 days prebreeding.

¹ As indicated by USDA label claims. ² MDI MAT ending November 2006.