



## **46th ANNUAL CONFERENCE**

American Association of Bovine Practitioners Milwaukee, Wisconsin September 19-21, 2013

# We Care.

You provide your clients with the best dairy herd care possible each and every day. And at Merck Animal Health, we have a responsibility to support you by offering more than great products. Dairy Care365<sup>™</sup> is what we call the value-added services, programs and advocacy initiatives that we offer to veterinarians like you.

### Your livelihood is our responsibility.

Talk to your Merck Animal Health representative to take advantage of Dairy Care365. For everything from technical services consultations to interactive, bilingual training, we're with you every step of the way.



The Science of Healthier Animals.™

Vol. 47, No. 1 Spring 2013

ISSN 0524-1685



EDITOR: ROBERT A. SMITH, DVM 3404 Live Oak Lane Stillwater, Oklahoma 74075 Tel: (405) 372-8666 Fax: (405) 743-8422 PUBLISHER:

VM PUBLISHING COMPANY

205 W. 7th Avenue, Suite 201G Stillwater, Oklahoma 74074 Tel/Fax: (405) 533-1883 kellijo.vmpubco@gmail.com

#### OFFICERS

| President                | Nigel Cook, MRCVS         |
|--------------------------|---------------------------|
|                          | Madison, Wisconsin        |
| President-Elect          | Daniel L. Grooms, DVM     |
|                          | Williamston, Michigan     |
| Vice President           | John Davidson, DVM        |
|                          | College Station, Texas    |
| Past President           | Brian Gerloff, DVM        |
|                          | Marengo, Illinois         |
| Executive Vice President | M. Gatz Riddell, Jr., DVM |
|                          | Auburn, Alabama           |
| Treasurer                | Brian Reed, DVM           |
|                          | Lititz, Pennsylvania      |
| Parliamentarian          | Patty Scharko, DVM        |
|                          | Columbia, South Carolina  |

BOARD OF DIRECTORS

Mark J. Thomas, DVM Carthage, New York 1st District, 2014 Thomas Massie, Jr., DVM Washington, Virginia 2nd District, 2015 James A. Brett, DVM Starkville, Mississippi 3rd District, 2013 Garold Koester, DVM Cadillac, Michigan 4th District, 2014

AVMA DELEGATE:

**EXHIBITS CHAIRMAN:** 

**ADVERTISING AGENCY:** 

Hunter Lang, DVM Prairie du Sac, Wisconsin 5th District, 2015 Sarah Overby, DVM Freeport, Minnesota 6th District, 2013 Rodney Chapman, DVM Versailles, Missouri 7th District, 2014 Joe Hillhouse, DVM Panhandle, Texas 8th District, 2015 David Rethorst, DVM Manhattan, Kansas 9th District, 2013 Steve Smalley, VMD Chandler, Arizona 10th District, 2014 Fred Muller, DVM Sunnyside, Washington 11th District, 2015

Guy R. Boisclair, DVM Victoriaville, Quebec, Canada 12th District, 2013

J. Egan Brockhoff, DVM Canmore, Alberta, Canada 13th District, 2014

Mark Spire, DVM Manhattan, Kansas Charlie Hatcher, DVM College Grove, Tennessee J. T. O'Brien & Assoc. 12118 Nieman Road Overland Park, Kansas 66213 913-402-8383 Fax: 913-402-8384

THE BOVINE PRACTITIONER is published by The American Association of Bovine Practitioners, Inc., at VM Publishing Co., 205 W. 7th, Suite 201G, Stillwater, OK 74074 (Telephone and Fax: 405-533-1883). Over 6000 copies are mailed to veterinarians engaged in cattle practice and allied institutions. Send new address (please include old address) to: AABP, P.O. Box 3610, Auburn, AL 36831-3610

Tel: 1-800-269-2227; FAX 334-821-9532 e-mail: aabphq@aabp.org http://www.aabp.org

THE BOVINE PRACTITIONER is the official publication of The American Association of Bovine Practitioners, published in the spring and summer annually. It also serves as a communication medium between bovine practitioner organizations around the world. All manuscripts and communications must be presented in English.

Copies of THE BOVINE PRACTITIONER are available to non-members for \$25.00 per copy for domestic destinations, or \$35.00 for international addresses. Contact editor for details.

©American Association of Bovine Practitioners, 2013 • All Rights Reserved • The Bovine Practitioner • ISSN 0524-1685

## Table of Contents

| Investigation of an abortion epidemic due to <i>Neospora caninum</i> in a beef herd on pasture<br>L. Michelle Arnold   | 1  |
|--|----|
| Efficacy of tilmicosin for on-arrival treatment of bovine respiratory disease in backgrounded winter-placed feedlot calves<br>Joyce Van Donkersgoed, John K. Merrill   | 7  |
| Comparison of tilmicosin and gamithromycin for treatment of undifferentiated fever in backgrounded<br>winter-placed feedlot calves<br>Joyce Van Donkersgoed, John K. Merrill, Steve Hendrick   | 15 |
| Vaccination with a multivalent modified-live virus vaccine administered one year prior to challenge with<br>bovine viral diarrhea virus type 1b and 2a in pregnant heifers<br>Alicia D. Zimmerman, Angela L. Klein, Robin E. Buterbaugh, Bernadette Hartman, Carol L. Rinehart,<br>Christopher C. L. Chase | 22 |
| Outbreak of bovine stomatitis in a feedlot due to Setaria lutescens (yellow foxtail)<br>John R. Campbell, Murray D. Jelinski, Joe Petreny, Corey Jones, Allen Perry  | 36 |
| Establishing reference ranges for sulfur concentrations in bovine liver and kidney samples<br>Jared D. Taylor, Karyn L. Bischoff, Joseph R. Hillebrandt, Sandra E. Morgan, Gregory A. Campbell,<br>Catherine G. Lamm   | 42 |
| The effect of sulfur and use of ruminal available sulfur as a model to predict incidence of polioencephalomalacia in feedlot cattle<br>C.A. Nichols, V.R. Bremer, A.K. Watson, C.D. Buckner, J.L. Harding, G.E. Erickson, T.J. Klopfenstein, D.R. Smith  |    |
| Evaluation of outcomes in beef cattle comparing preventive health protocols utilizing viral respiratory vaccines<br>Holt M. Tripp, Douglas L. Step, Clinton R. Krehbiel, Heather K. Moberly, Jerry R. Malayer  | 54 |
| Influence of tilmicosin on quantified pulmonary concentrations of three bacterial pathogens in calves with<br>naturally-occurring bovine respiratory disease<br>Travis H. Allen, Edward G. Johnson, Matthew D. Edmonds, Jared A. Gould   | 65 |

## Advertisers Index

| Addison Biological Laboratory, Inc. |  |
|-------------------------------------|--|
| Elanco Animal Health                |  |
| Merck Animal Health                 | inside front cover, front of book, inside back cover |
| Norbrook Laboratories Limited       |  |
| Novartis Animal Health              |  |
| Zoetis Animal Health                | back cover   |

Cover photo courtesy of Dr. Bob Smith, Stillwater, Oklahoma

The abstracts were translated to French by Dr. Guy Beauchamp and revised by Dr. Emile Bouchard.

## **Notice to Readers**

All statements, opinions and conclusions contained in articles in *The Bovine Practitioner* are those of the author(s), and are not necessarily those of the American Association of Bovine Practitioners (AABP) unless specifically approved by the AABP Board of Directors.



0

## SEE IMPROVEMENT FROM BRD SYMPTOMS IN AS LITTLE AS 6 HOURS



See a Difference in One Dose

Broad-spectrum Resflor Gold<sup>®</sup> goes to work fast on BRD. It offers the dual activity of an antibiotic and a non-steroidal anti-inflammatory drug in one.

#### See for yourself with our 60-second video at www.resflorgold.com.

See your Merck Animal Health sales representative or animal health supplier for more information.

For subcutaneous use in beef and non-lactating dairy cattle only. Not for use in female dairy cattle 20 months of age or older or in calves to be processed for veal. The effects of florfenicol and flunixin on bovine reproductive performance, pregnancy, and lactation have not been determined. When administered according to the label directions, RESFLOR GOLD may induce a transient local reaction in the subcutaneous and underlying muscle tissue. Full product information on the following page.

Copyright © 2012 Intervet, Inc., a subsidiary of Merck and Co, Inc. Intervet Inc. d/b/a Merck Animal Health 556 Morris Avenue, Summit, NJ 07901 All rights reserved. RES-143



#### PRODUCT INFORMATION

NADA 141-299, Approved by FDA.



(Florfenicol and Flunixin Meglumine) Antimicrobial/Non-Steroidal Anti-Inflammatory Drug

For subcutaneous use in beel and non-lactating dairy cattle only. Not for use in female dairy cattle 20 months of age or older or in calves to be processed for veal.

**BRIEF SUMMARY:** For full prescribing information, see package insert.

**INDICATION:** RESFLOR GOLD<sup>®</sup> is indicated for treatment of bovine respiratory disease (BRD) associated with *Mannheimia heemolytica, Pasteurella multocida, Histophilus somni,* and *Mycoplasma bovis,* and control of BRD-associated pyrexia in beef and non-lactating dairy cattle.

**CONTRAINDICATIONS:** Do not use in animals that have shown hypersensitivity to florfenicol or flunixin.

WARNINGS: NOT FOR HUMAN USE. KEEP OUT OF REACH OF CHILDREN. This product contains material that can be irritating to skin and eyes. Avoid direct contact with skin, eyes, and clothing. In case of accidental eye exposure, flush with water for 15 minutes. In case of accidental skin exposure, wash with soap and water. Remove contaminated clothing. Consult a physician if irritation persists. Accidental injection of this product may cause local irritation. Consult a physician immediately. The Material Safety Data Sheet (MSDS) contains more detailed occupational safety information.

For customer service or to obtain a copy of the MSDS, call 1-800-211-3573. For technical assistance or to report suspected adverse reactions, call 1-800-219-9286.

Not for use in animals intended for breeding purposes. The effects of florfenicol on bovine reproductive performance, pregnancy, and lactation have not been determined. Toxicity studies in dogs, rats, and mice have associated the use of florfenicol with testicular degeneration and atrophy. NSAIDs are known to have potential effects on both parturition and the estrous cycle. There may be a delay in the onset of estrus if flunixin is administered during the prostaglandin phase of the estrous cycle. The effects of flunixin on imminent parturition have not been evaluated in a controlled study. NSAIDs are known to have the potential to delay parturition through a tocolytic effect.

RESFLOR GOLD<sup>®</sup>, when administered as directed, may induce a transient reaction at the site of injection and underlying tissues that may result in trim loss of edible tissue at slaughter.

RESIDUE WARNINGS: Animals intended for human consumption must not be slaughtered within 38 days of treatment. Do not use in female dairy cattle 20 months of age or older. Use of florfenicol in this class of cattle may cause milk residues. A withdrawal period has not been established in pre-ruminating calves. Do not use in calves to be processed for veal.

ADVERSE REACTIONS: Transient inappetence, diarrhea, decreased water consumption, and injection site swelling have been associated with the use of florfenicol in cattle. In addition, anaphylaxis and collapse have been reported post-approval with the use of another formulation of florfenicol in cattle.

In cattle, rare instances of anaphylactic-like reactions, some of which have been fatal, have been reported, primarily following intravenous use of flunixin meglumine.

Made in Germany Intervet Inc. Roseland, NJ 07068 ©2009, Intervet Inc. All Rights Reserved. Mav 2009 US 3448 IV