

The Bouine PRACTITIONER

THE OFFICIAL PUBLICATION OF THE AMERICAN ASSOCIATION OF BOVINE PRACTITIONERS



42nd ANNUAL CONFERENCE

American Association of Bovine Practitioners Omaha, Nebraska September 10-12, 2009

Property of
Medical Sciences Library
Texas A&M University

JUN 0 3 2009



The breakthrough respiratory protection of Onset™ IN provides protection at the point of infection. Administered intranasally, the innovative mode of action and proprietary BluShadow® diluent help Onset IN cling to nasal mucosal tissues for an immune response that more closely mirrors the natural route of respiratory infection. As a 2mL dose in a single nostril or 1mL in each nostril, Onset IN has been proven safe and efficacious in newborn calves as young as three days of age.

Modified live virus protection against diseases caused by:

- Infectious Bovine Rhinotracheitis (IBR)
- Bovine Viral Diarrhea (BVD) Type 1 and Type 2
- Parainfluenza₃ (Pl₃)
- · Bovine Respiratory Syncytial Virus (BRSV)

Talk to your Intervet/Schering-Plough Animal Health sales representative or your animal health supplier to experience the breakthrough respiratory protection of Onset 5 IN and Onset 5 PMH IN (coming soon), available in 1, 10 and 50 dose sizes.

DO NOT USE IN HIGH STRESS STOCKER CATTLE OR HIGH RISK CATTLE .

Introducing Onset™ IN



intervetusa.com • 800-521-5767 • O&B 12/08 BV-ONS-35598-V

Onset is a trademark and BluShadow is a registered trademark of Intervet Inc. or an affiliate. ©2009 Intervet Inc. All rights reserved.



ISSN 0524-1685



The Bouine PRACTITIONER

Vol. 43, No. 1 Spring 2009

EDITOR: ROBERT A. SMITH, DVM 3404 Live Oak Lane Stillwater, Oklahoma 74075 Tel: (405) 372-8666 FAX (405) 743-8422 PRINTER: Frontier Printers, Inc. 205 W. 9th Stillwater, Oklahoma 74074

OFFICERS

President	Richard Wallace, DVM
	Champaign, Illinois
President-Elect	Roger Saltman, DVM
	Cazenovia, New York
Vice President	
	Baton Rouge, Louisiana
Past President	
	Belding, Michigan
Executive Vice President	M. Gatz Riddell, Jr., DVM
	Auburn, Alabama
Treasurer	Brian Reed, DVM
	Manheim, Pennsylvania
Parliamentarian	3,
	Marysville, Ohio

BOARD OF DIRECTORS

Mark J. Thomas, DVM Carthage, New York 1st District, 2011 Bob Cloninger, VMD

Centre Hall, Pennsylvania 2nd District, 2009

Art Donovan, DVM Gainesville, Florida 3rd District, 2010

Richard Wiley, DVM Wooster, Ohio 4th District, 2011 Glen Johnson, DVM Reedsburg, Wisconsin 5th District, 2009

Bill Seglar, DVM Johnston, Iowa 6th District, 2010

Shawn Blood, DVM Guymon, Oklahoma 7th District, 2011 Glenn Rogers, DVM Aledo, Texas 8th District, 2009

John Schnackel, DVM Fort Collins, Colorado 9th District, 2010

Steve Smalley, VMD Chandler, Arizona 10th District, 2011 Scott Waltner, DVM Mount Vernon, Washington

11th District, 2009 Guy R. Boisclair, DVM

Victoriaville, Quebec, Canada 12th District, 2010

J. Egan Brockhoff, DVM Olds, Alberta, Canada 13th District, 2011

AVMA DELEGATE:

EXHIBITS CHAIRMAN:

ADVERTISING AGENCY:

Mark Spire, DVM Manhattan, Kansas

Charlie Hatcher, DVM

College Grove, Tennessee

J. T. O'Brien & Assoc.

12118 Nieman Road

Overland Park, Kansas 66213 913-402-8383 Fax: 913-402-8384

THE BOVINE PRACTITIONER is published by The American Association of Bovine Practitioners, Inc., at Frontier Printers, 205 W. 9th, Stillwater, OK 74074 (Tel: 405-372-8500; FAX 405-372-8523). Over 6000 copies are mailed to veterinarians engaged in cattle practice and allied institutions. Send new address (please include old address) to:

AABP, P.O. Box 3610, Auburn, AL 36831-3610 Tel: 1-800-269-2227; FAX 334-821-9532 e-mail: aabphq@aabp.org http://www.aabp.org

THE BOVINE PRACTITIONER is the official publication of The American Association of Bovine Practitioners, published in the spring and summer annually. It also serves as a communication medium between bovine practitioner organizations around the world. All manuscripts and communications must be presented in English.

Copies of THE BOVINE PRACTITIONER are available to non-members for \$25.00 per copy for domestic destinations, or \$33.00 for international addresses. **Contact editor for details.**

@American Association of Bovine Practitioners, 2009 • All Rights Reserved • The Bovine Practitioner • ISSN 0524-1685

ISSN 0524-1685



PRACTITIONER

Guidelines for Authors

Two issues of *The Bovine Practitioner* are published annually, one in the spring and one in the summer. It also serves as a communication medium between bovine practitioner organizations around the world. All manuscripts and communications must be presented in English.

Most articles in the journal are peer-reviewed or refereed. Papers submitted for publication in the peer-reviewed section are anonymously reviewed by three members of the editorial board. In some cases, papers may be reviewed by an outside expert(s) who is not a regular member of the editorial board. Papers published in the peer-reviewed section of the journal will be identified with a "Peer-Reviewed" banner at the top of the first page. Papers rejected by the editorial board for publication as peer-reviewed articles do not automatically qualify for publication in the non-peer-reviewed sections.

Articles published in *The Bovine Practitioner* are intended to address the needs of bovine practitioners. Types of articles considered appropriate for the journal include research reports, case reports, review articles, retrospective studies and articles describing new techniques.

All papers should begin with an abstract. Research reports should follow with an introduction, materials and methods (including experimental design and statistical analysis), results, discussion and conclusions. At the author's discretion, results and discussion may be combined.

Case reports should be written to include an introduction, history, clinical findings, appropriate laboratory data, surgical/therapeutic management, discussion and conclusions.

Review articles covering topics important to the practitioner are welcome. They should address more recent advances and bring the reader cutting edge information related to bovine practice or to beef or dairy production.

Papers reporting retrospective studies should include an introduction, clinical implications or objectives of the study, the methodology used to evaluate the data, a section that details the significance of the findings to the practitioner and conclusions.

Two manuscripts and a CD or jump drive should be submitted to the editor through the mail or via a parcel delivery service. Manuscripts should be double-spaced, using 12-point Times type and 1-inch margins. Both lines and pages should be numbered. When possible Microsoft Word should be used.

Figures, tables and photographs are welcome. Figures should be numbered on the back: legends for figures should be submitted on a separate sheet of paper. Photographs can be submitted as digital images or prints; prints are preferred over 2x2 slides.

English units of measure should be used for weights, measures and temperature. If the author desires, it is acceptable to follow English units with metric units in parenthesis, i.e....440 lb (200 kg) steer had a rectal temperature of 101.5°F (38.6°C). When the use of brand names is necessary, they should be listed in footnotes or endnotes, including the name of product, manufacturer, and manufacturer's city and state.

References to literature cited in the paper must be identified in the text by the use of superscripts. References should be listed in **alphabetical order**. Suggested style for citations in the reference section is as follows:

- 1. Allen WM, Sansom BF: Parturient paresis (milk fever) and hypocalcemia (cows, ewes, and goats), in Howard JL (ed): Current Veterinary Therapy III. Food Animal Practice. Philadelphia, WB Saunders Co, 1993, pp 304-308.
- 2. Barth AD, Cates WF, Harland RJ: The effect of body fat and loss of fat on breeding soundness classification of beef bulls. $Can\ Vet\ J\ 36:758-764,\ 1995.$
- 3. Nutrient Requirements of Beef Cattle, ed 7. Washington DC, National Academy Press, 1996.
- 4. Syvrud R: Vaccination for bovine respiratory syncytial virus: Benefits for both cow/calf and feedlot cattle. *Proc Am Assoc Bov Prac* 21:204-206, 1989.

All correspondence and manuscripts should be addressed to:

The Bovine Practitioner Dr. Bob Smith, Editor 3404 Live Oak Lane Stillwater, OK 74075 405-372-8666 Office 405-743-8422 Fax

Rev 04/07

A colostrum replacer from the brand you trust

When Mother Nature needs a hand, count on Colostrx® 130 Colostrum Replacer. It contains the highest level of globulin proteins available anywhere — 130 grams!


When colostrum supplies are limited or of low-quality, or when you want to break a cycle of maternally transmitted disease, turn to Colostrum Replacer.

- Consistently high levels of globulin protein derived from the same source that enriches natural colostrum
- Just a single, two-quart feeding
- · Easier to mix than dried colostrum products
- · Individual-dose packets make feeding simple and convenient

Your calves' futures depend on the globulin proteins they receive during the first 24 hours of life. Give them a hand by feeding Colostrx 130 as directed, and get them off to a good start.







P.O. Box 3103 • St. Joseph, MO 64503 1.800.542.8916 • www.AgriLabs.com



Colostrx is a registered trademark of AgriLab

©2008 Agri Laboratories LTD. All rights reserved

Table of Contents

Effect of Castration Timing, Technique, and Pain Management on Health and P Calvin W. Booker, Sameeh M. Abutarbush, Oliver C. Schunicht, Colleen M. Sherry J. Hannon, Tom J. Pittman, Corey W. Jones, G. Kee Jim, Paul S. M.	Pollock, Tye Perrett, Brian K. Wildman,	
Effects of Concurrent Metaphylaxis with Chlortetracycline and Tulathromycin of Beef Calves		
Justin O. Wallace, Chris D. Reinhardt, Daniel U. Thomson	14	
Case Report – Tail Tip Necrosis in a Confined Cattle Feeding Operation Daniel U. Thomson, Wade Taylor, Tom Noffsinger, Julia A. Christopher, Be	njamin W. Wileman, John Ragsdale18	
Myositis due to Mannheimia haemolytica Infection in a Beef Heifer Catherine G. Lamm, D. L. Step, Clint R. Krehbiel, Brenda C. Love	23	
A Comparison of Two Mannheimia haemolytica Vaccination Strategies in Freshly Weaned Southeastern Feedlot Heifers Karen C. Rogers, Thomas A. Portillo, Dennis E. Smialek, Del G. Miles, Terry W. Lehenbauer, Russell Smyth27		
Case Report – Isolation of Serratia liquefaciens from Sodium Chlorite Lactic Aci David J. Wilson, Jessie D. Trujillo, Ramona T. Skirpstunas, Kimberly B. C		
Efficacy of a Modified-live Virus Vaccine Administered to Calves with Maternal Later with a Virulent Bovine Viral Diarrhea Type 2 Virus Alicia D. Zimmerman, Robin E. Buterbaugh, John A. Schnackel, Christoph		
Comparison of the BVDV, BHV-1, and BRSV Anamnestic Response to Modified-live or Inactivated Vaccines in Calves Previously Vaccinated with a Modified-live Virus Vaccine Grant Royan		
Case Report – Idiopathic Hemorrhagic Pericarditis in a Holstein Cow: A Rare, N Sébastien Buczinski, Mauricio Badillo		
Effect of Bedding Conditioners on Bacteria Counts and pH in Shavings, Digester R. Bey, S. Godden, B. Kuechle		
The Role of Individual Animal Diagnosis and Treatment in the Training of Food Supply Veterinarians *Jeff W. Tyler, Loren G. Schultz** 68		
Advertisers Index		
Addison Biological Laboratory, Inc.		
AgriLaboratories, LTD	The state of the s	
Intervet/Schering-Plough Animal Health Novartis Animal Health US, Inc.		
Pfizer Animal Health	<u>,</u>	

Cover photo courtesy of Dr. Richard Wallace. Other photos courtesy of Geni Wren and Dr. Bob Smith.

The abstracts were translated in French by Dr. Guy Beauchamp and revised by Dr. Emile Bouchard.

Notice to Readers

All statements, opinions and conclusions contained in articles in *The Bovine Practitioner* are those of the author(s), and are not necessarily those of the American Association of Bovine Practitioners (AABP) unless specifically approved by the AABP Board of Directors.