

Articles in *The Bovine Practitioner* have been reviewed by two to four Editorial Review Board members. Reviewers for 2009 included:

Dr. N. Kent Ames E. Lansing, MI

Dr. David Anderson Manhattan, KS

Dr. Lora Ballweber Fort Collins, CO

Dr. Dale Bauman Ithaca, NY

Dr. Steven Berry Davis, CA

Dr. Ruth Blauwiekel Colchester, VT

Dr. Jenks S. Britt Bowling Green, KY

Dr. Cary R. Christensen Shawnee Mission, KS

Dr. Vickie L. Cooper Ames, IA

Dr. Andre Desrochers St.-Hyacinthe, QC Canada

Dr. Bill DuBois Mustang, OK

Dr. Douglas Ensley Overland Park, KS

Dr. Lou Anne Epperley Bixby, OK

Dr. Virginia Fajt College Station, TX

Dr. John Fetrow Mahtomedi, MN

Dr. James H. Fountaine Kenyon, MN

Dr. Brian Gerloff Marengo, IL

Dr. John Gilliam Stillwater, OK

Dr. David Gnad West Point, NE Dr. Sandra Godden St. Paul, MN

Dr. Dee Griffin Clay Center, NE

Dr. Daniel L. Grooms Williamston, MI

Dr. Dale M. Grotelueschen Gering, NE

Dr. Nate Harvey Westchester, PA

Dr. Larry Hawkins Carrollton, MO

Dr. Clair M. Hibbs Lynden, WA

Dr. Bruce Hoar Davis, CA

Dr. Glen Hoffsis Gainesville, FL

Dr. Larry C. Hollis Manhattan, KS

Dr. Breck D. Hunsaker Preston, ID

Dr. Michael Hutjens Savoy, IL

Dr. Tom Jenkins Clemson, SC

Dr. Andy Johnson Clintonville, WI

Dr. Lee Jones Curtis, NE

Dr. Mark Kinsel Ellensburg, WA

Dr. Mark Kirkpatrick Kuna, ID

Dr. Michaela Kristula Kennett Square, PA

Dr. Catherine Lamm Stillwater, OK Dr. Bob Larson Manhattan, KS

Dr. Fred D. Lehman Overland Park, KS

Dr. Jim McKean Clay Center, NE

Dr. Rich Meiring Mississippi State, MS

Dr. Larry Moczygemba Beeville, TX

Dr. Arden J. Nelson Windsor, CO

Dr. Mary Rose Paradis North Grafton, MA

Dr. Pat Payne Manhattan, KS

Dr. Mel E. Pence, Jr. Tifton, GA

Dr. Arun Phatak Waterford, CA

Dr. Daniel R. Posey College Station, TX

Dr. D. Owen Rae Gainesville, FL

Dr. Jerry R. Roberson Knoxville, TN

Dr. Glenn Rogers Aledo, TX

Dr. Michael W. Sanderson Manhattan, KS

Dr. George Saperstein Pomfret Center, CT

Dr. Patricia B. Scharko Clemson, SC

Dr. Ynte Schukken Ithaca, NY

Dr. Phil Sears E. Lansing, MI Dr. Jan Shearer Ames, IA

Dr. Barrett Slenning Raleigh, NC

Dr. Lynn E. Steadman Chadron, NE

Dr. D.L. Step Stillwater, OK

Dr. Keith Sterner Ionia, MI

Dr. Bill Stone Auburn, NY

Dr. Flint Taylor Albuquerque, NM

Dr. Ron Terra Pomona, CA

Dr. Lynn Upham Las Vegas, NV

Dr. Hana Van Campen Fort Collins, CO

Dr. David T. Von Tungeln Calumet, OK

Dr. Sarah Wagner Fargo, ND

Dr. Kevin Washburn College Station, TX

Dr. Frank Welcome Ithaca, NY

Dr. Brad White Manhattan, KS

Dr. Dwight Wolfe Auburn, AL

Dr. Amelia R. Woolums Athens, GA

Dr. Tom Yazwinski Fayetteville, AR

Appreciation is extended to each board member for volunteering their time and expertise to review articles for *The Bovine Practitioner*.

ISSN 0524-1685



### Guidelines for Authors

Two issues of *The Bovine Practitioner* are published annually, one in the spring and one in the summer. It also serves as a communication medium between bovine practitioner organizations around the world. All manuscripts and communications must be presented in English.

Most articles in the journal are peer-reviewed or refereed. Papers submitted for publication in the peer-reviewed section are anonymously reviewed by three members of the editorial board. In some cases, papers may be reviewed by an outside expert(s) who is not a regular member of the editorial board. Papers published in the peer-reviewed section of the journal will be identified with a "Peer-Reviewed" banner at the top of the first page. Papers rejected by the editorial board for publication as peer-reviewed articles do not automatically qualify for publication in the non-peer-reviewed sections.

Articles published in *The Bovine Practitioner* are intended to address the needs of bovine practitioners. Types of articles considered appropriate for the journal include research reports, case reports, review articles, retrospective studies and articles describing new techniques.

All papers should begin with an abstract. Research reports should follow with an introduction, materials and methods (including experimental design and statistical analysis), results, discussion and conclusions. At the author's discretion, results and discussion may be combined.

Case reports should be written to include an introduction, history, clinical findings, appropriate laboratory data, surgical/therapeutic management, discussion and conclusions.

Review articles covering topics important to the practitioner are welcome. They should address more recent advances and bring the reader cutting edge information related to bovine practice or to beef or dairy production.

Papers reporting retrospective studies should include an introduction, clinical implications or objectives of the study, the methodology used to evaluate the data, a section that details the significance of the findings to the practitioner and conclusions.

Two manuscripts and a diskette or CD should be submitted to the editor through the mail or via a parcel delivery service. Manuscripts should be double-spaced, using 12-point Times type and 1-inch margins. Both lines and pages should be numbered. When possible Microsoft Word should be used.

Figures, tables and photographs are welcome. Figures should be numbered on the back: legends for figures should be submitted on a separate sheet of paper. Photographs can be submitted as digital images or prints; prints are preferred over 2x2 slides.

English units of measure should be used for weights, measures and temperature. If the author desires, it is acceptable to follow English units with metric units in parenthesis, i.e....440 lb (200 kg) steer had a rectal temperature of  $101.5^{\circ}$ F (38.6°C). When the use of brand names is necessary, they should be listed in footnotes or endnotes, including the name of product, manufacturer, and manufacturer's city and state.

References to literature cited in the paper must be identified in the text by the use of superscripts. References should be listed in **alphabetical order**. Suggested style for citations in the reference section is as follows:

 Allen WM, Sansom BF: Parturient paresis (milk fever) and hypocalcemia (cows, ewes, and goats), in Howard JL (ed): *Current Veterinary Therapy III. Food Animal Practice*. Philadelphia, WB Saunders Co, 1993, pp 304-308.
Barth AD, Cates WF, Harland RJ: The effect of body fat and loss of fat on breeding soundness classification of beef bulls. *Can Vet J* 36:758-764, 1995.

3. Nutrient Requirements of Beef Cattle, ed 7. Washington DC, National Academy Press, 1996.

4. Syvrud R: Vaccination for bovine respiratory syncytial virus: Benefits for both cow/calf and feedlot cattle. *Proc* Am Assoc Bov Pract 21:204-206, 1989.

#### All correspondence and manuscripts should be addressed to:

The Bovine Practitioner Dr. Bob Smith, Editor 3404 Live Oak Lane Stillwater, OK 74075 405-372-8666 Office 405-743-8422 Fax

© Copyright American Association of Bovine Practitioners; open access distribution.

2



NOTES

# Your customers put a lot into keeping their cows in milk.




## Make sure they're getting a lot out.

Trust the proven full-pregnancy BVD protection of Vista<sup>®</sup> vaccines to keep more cows in milk.

With all the hard work that goes into keeping every cow producing, don't trust BVD protection that doesn't cover the entire pregnancy. For maximum BVD protection and maximum production, trust Vista<sup>®</sup> vaccines — for the only full-term BVD Type I and Type 2 Fetal Protection, with both Persistent Infection and Fetal Infection protection.

Talk to your Intervet/Schering-Plough Animal Health sales representative or your animal health supplier about incorporating the full-term BVD protection of Vista vaccines into your recommended pre-breeding vaccination protocol.



Vista is a registered trademark of Intervet Inc. or an affiliate. Bovi-Shield GOLD is a registered trademark of Pfizer, Inc. ©2009 Intervet Inc. All rights reserved.







#### There's simply no comparison.

The label says it all. Bovi-Shield GOLD<sup>®</sup> FP<sup>®</sup> helps provide the ultimate reproductive protection for your herd. Vista<sup>®</sup>, Pyramid<sup>®</sup> and Express<sup>®</sup> FP don't compare. Protecting your herd is important, so why risk their health to anything else? Choose Bovi-Shield GOLD FP . . . the undisputed leader in reproductive protection. See your veterinarian or animal health supplier, or visit dairywellnessplan.com/365 to learn more.

LABEL INDICATIONS: The Bovi-Shield GOLD line and PregGuard® GOLD FP 10 are recommended for vaccination of healthy cows and heifers approximately 1 month prior to breeding. These products can also be administered to pregnant cattle provided they were vaccinated, according to label directions, with any Bovi-Shield GOLD FP or PregGuard GOLD FP vaccine prior to breeding initially and within 12 months thereafter. Failure to follow label directions may result in abortions. The Bovi-Shield GOLD line may be administered to calves nursing pregnant cows, provided their dams were vaccinated within the last 12 months as described above. Consistent with good vaccination practices, heifers should receive at least 2 vaccine doses, with the second dose administered approximately 30 days pre-breeding.

All brands are the property of their respective owners. @2009 Pfizer Inc. All rights reserved. BSD08052

Dairy Wellness Makes a Difference



**Pfizer Animal Health**